

Version	Revision Date:	Date of last issue: 2021-02-22	
2.7	2021-08-25	Date of first issue: 2014-06-18	Print Date: 2021-08-25

## **1. PRODUCT AND COMPANY IDENTIFICATION**

Product name	:	SYNTHESO GLEP 1
Article-No.	:	012142
Other names	:	None
Recommended use of the ch	em	ical and restrictions on use
Recommended use	:	Grease
Restrictions on use	:	Restricted to professional users.
Manufacturer or supplier's d	etai	ils
Company	:	Klüber Lubrication München Geisenhausenerstr. 7 81379 München Deutschland Tel: +49 (0) 89 7876 0 Fax: +49 (0) 89 7876 333 info@klueber.com
E-mail address of person responsible for the SDS	:	mcm@klueber.com Material Compliance Management
National contact	:	Klüber Lubrication China Limited Room 1012 Shatin Galleria 18-24 Shan Mei Street, Fotan, Shatin, N.T. Hong Kong China Phone: +852 26920191 Email: info@cn.klueber.com www.klueber.com.cn
Emergency telephone number	:	+886 2 8793 3212
		+49 89 7876 700 (24 hours)

### 2. HAZARDS IDENTIFICATION

## **GHS Classification**

Skin sensitisation	: Category 1

## **GHS** label elements



## **SYNTHESO GLEP 1**

Version 2.7	Revision Date: 2021-08-25	2 0.10 0.10	st issue: 2021-02-22 st issue: 2014-06-18 Print Date: 2021-08-25
Haza	ard pictograms	:	<u>(</u> )
Sign	al word	:	Warning
Haza	ard statements	:	H317 May cause an allergic skin reaction.
Prec	autionary stateme	nts :	<b>Prevention:</b> P272 Contaminated work clothing should not be allowed out of the workplace. P280 Wear protective gloves.
			Response: P302 + P352 IF ON SKIN: Wash with plenty of water. P333 + P313 If skin irritation or rash occurs: Get medical ad- vice/ attention. P362 + P364 Take off contaminated clothing and wash it before reuse.

Other hazards which do not result in classification

None known.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture	:	Mixture	

Chemical nature

: polyalkylene glycol oil special lithium soap

#### Hazardous components

Chemical Name	CAS-No.	Concentration (% w/w)
lithium 12-hydroxystearate	7620-77-1	>= 1 - < 10
dilithium azelate	38900-29-7	>= 1 - < 10
Condensation products of fatty acids, tall oil with 2-amino-2-ethylpropanediol	Not Assigned	>= 1 - < 10
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	68411-46-1	>= 1 - < 2.5

### 4. FIRST AID MEASURES

### First aid measures for different exposure routes

If inhaled

: Remove person to fresh air. If signs/symptoms continue, get medical attention. Keep patient warm and at rest.







Version 2.7			st issue: 2021-02-22 rst issue: 2014-06-18 Print Date: 2021-08-25
			If unconscious, place in recovery position and seek medical advice. Keep respiratory tract clear. If breathing is irregular or stopped, administer artificial respira- tion.
In ca	ise of skin contact	:	Take off all contaminated clothing immediately. Wash off immediately with soap and plenty of water. Get medical attention immediately if irritation develops and persists. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In ca	se of eye contact	:	Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes. If eye irritation persists, consult a specialist.
If sw	allowed	:	Move the victim to fresh air. If unconscious, place in recovery position and seek medical advice. Keep respiratory tract clear. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person.
	t important symptom effects, both acute a yed		May cause an allergic skin reaction. Allergic appearance
Note	s to physician	:	The first aid procedure should be established in consultation with the doctor responsible for industrial medicine.
5. FIREFI	GHTING MEASURE	ES	
Suita	able extinguishing m	edia :	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsu med	uitable extinguishing ia	:	High volume water jet
Haza ucts	ardous combustion p	orod- :	Carbon oxides Nitrogen oxides (NOx) Sulphur oxides Oxides of phosphorus Metal oxides
Spec ods	cific extinguishing me	eth- :	Standard procedure for chemical fires.
	cial protective equipr refighters	ment :	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to decomposition products may be a hazard to
			a brand of







## **SYNTHESO GLEP 1**

Version	Revision Date:	Date of last issue: 2021-02-22	
2.7	2021-08-25	Date of first issue: 2014-06-18	Print Date: 2021-08-25

#### health.

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Evacuate personnel to safe areas. Use the indicated respiratory protection if the occupational exposure limit is exceeded and/or in case of product release (dust). Do not breathe vapours, aerosols. Refer to protective measures listed in sections 7 and 8.
Environmental precautions	:	Try to prevent the material from entering drains or water courses. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Clean up promptly by sweeping or vacuum. Keep in suitable, closed containers for disposal.

### 7. HANDLING AND STORAGE

Handling

5		
Advice on safe handling	:	Avoid contact with skin and eyes. For personal protection see section 8. Persons with a history of skin sensitisation problems or asth- ma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the ap- plication area. Wash hands and face before breaks and immediately after handling the product. Do not get in eyes or mouth or on skin. Do not get on skin or clothing. Do not repack. These safety instructions also apply to empty packaging which may still contain product residues. Keep container closed when not in use.
Storage		
Conditions for safe storage	:	Store in original container. Keep container closed when not in use. Keep in a dry, cool and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with the particular national regulations. Keep in properly labelled containers.
		a house die 6





Version	Revision Date:	Date of last issue: 2021-02-22	
2.7	2021-08-25	Date of first issue: 2014-06-18	Print Date: 2021-08-25

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis		
lithium 12-hydroxystearate	7620-77-1	TWA (Inhal- able particu- late matter)	10 mg/m3	ACGIH		
		TWA (Res- pirable par- ticulate mat- ter)	3 mg/m3	ACGIH		
Engineering measures : none						
Personal protective equipment						

Respiratory protection	:	Not required; except in case of aerosol formation.
Filter type	:	Filter type P
Hand protection Material Break through time Protective index	:	Nitrile rubber > 10 min Class 1
Remarks	:	Wear protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case.
Eye protection	:	Safety glasses with side-shields
Protective measures	:	The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace. Choose body protection in relation to its type, to the concen- tration and amount of dangerous substances, and to the spe- cific work-place.
Hygiene measures	:	Wash face, hands and any exposed skin thoroughly after handling.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

: paste



Version	Revision Date:	Date of last issue: 2021-02-22	
2.7	2021-08-25	Date of first issue: 2014-06-18	Print Date: 2021-08-25

Colour	:	beige	
Odour	:	characteristic	
Odour Threshold	:	No data available	
рН	:	Not applicable substance/mixture is non-soluble (in wate	er)
Melting point/range	:	No data available	
Boiling point/boiling range	:	No data available	
Flash point	:	Not applicable	
Evaporation rate	:	No data available	
Flammability (solid, gas)	:	Combustible Solids	
Self-ignition	:	No data available	
Upper explosion limit / Upper flammability limit	:	No data available	
Lower explosion limit / Lower flammability limit	:	No data available	
Vapour pressure	:	< 0.001 hPa (20 °C)	
Relative vapour density	:	No data available	
Relative density	:	0.97 (20 °C) Reference substance: Water The value is calculated	
Density	:	0.97 g/cm3 (20 °C)	
Bulk density	:	No data available	
Solubility(ies) Water solubility	:	insoluble	
Solubility in other solvents	:	No data available	
Partition coefficient: n- octanol/water	:	No data available	
Auto-ignition temperature	:	No data available	
		6/17	a brand o





## **SYNTHESO GLEP 1**

Version	Revision Date:	Date of last issue: 2021-02-22	
2.7	2021-08-25	Date of first issue: 2014-06-18	Print Date: 2021-08-25

Decomposition temperature	:	No data available
Viscosity Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	No data available
Sublimation point	:	No data available

### **10. STABILITY AND REACTIVITY**

Reactivity	:	No hazards to be specially mentioned.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reac- tions	:	No dangerous reaction known under conditions of normal use.
Conditions to avoid	:	No conditions to be specially mentioned.
Incompatible materials	:	No materials to be especially mentioned.
Hazardous decomposition products	:	No decomposition if stored and applied as directed.

## **11. TOXICOLOGICAL INFORMATION**

Symptoms of Overexposure :

Allergic appearance

#### Acute toxicity

Product:

Acute oral toxicity	: Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method	
Acute inhalation toxicity	: Remarks: This information is not available.	
Acute dermal toxicity	: Symptoms: Redness, Local irritation	

#### **Components:**

lithium 12-hydroxystearate:





011	••••				
Versi 2.7	ion	Revision Date: 2021-08-25		st issue: 2021-02-22 st issue: 2014-06-18	Print Date: 2021-08-25
	Acute	oral toxicity	:	LD50 (Rat): > 5,000 n Method: OECD Test	
	Acute	dermal toxicity	:	LD50 (Rabbit): > 3,00 Assessment: The sub toxicity	00 mg/kg ostance or mixture has no acute dermal
	dilithi	ium azelate:			
	Acute	oral toxicity	:	LD50 (Rat): > 300 mg Method: OECD Test GLP: yes	
	Acute	dermal toxicity	:	LD50 (Rabbit): > 2,00 Assessment: The sub toxicity	00 mg/kg ostance or mixture has no acute dermal
	Cond	ensation product	ts of fatty	acids, tall oil with 2-	amino-2-ethylpropanediol:
		oral toxicity	:	LD50 (Rat): > 2,000 n Method: OECD Test	mg/kg
	Acute	dermal toxicity	:	LD50 (Rat): > 2,000 r Method: OECD Test Assessment: The sub toxicity	
	Benze	enamine. N-phen	vl reacti	on products with 2.4	,4-trimethylpentene:
		oral toxicity	:	-	mg/kg
	Acute	dermal toxicity	:	LD50 (Rat): > 2,000 n Method: OECD Test Assessment: The sub toxicity	
	Skin	corrosion/irritatio	on		
	<u>Produ</u>	uct:			
	Rema	ırks	:	This information is no	ot available.
	<u>Comp</u>	oonents:			
		m 12-hydroxyste	arate:	NIS STREETS TO DE ST	
	Asses Metho	ssment od	:	No skin irritation OECD Test Guideline	e 439
	Resul	t	:	No skin irritation	





Version	Revision Date:	Date of last issue: 2021-02-22	
2.7	2021-08-25	Date of first issue: 2014-06-18	Print Date: 2021-08-25

dilithium azelate:	
Assessment	: No skin irritation
Result	: No skin irritation
Condensation produ	ucts of fatty acids, tall oil with 2-amino-2-ethylpropanedic
Species	: reconstructed human epidermis (RhE)
Assessment	: No skin irritation
Result	: No skin irritation
Benzenamine, N-phe	enyl-, reaction products with 2,4,4-trimethylpentene:
Species	: Rabbit
Assessment	: No skin irritation
Result	: No skin irritation
Serious eye damage	e/eye irritation
Product:	
Remarks	: This information is not available.
Components:	
lithium 12-hydroxys	tearate:
Species	: Rabbit
Result	: No eye irritation
Assessment	: No eye irritation
Method	: OECD Test Guideline 405
dilithium azelate:	
Species	: Rabbit
Result	: No eye irritation
Assessment	: No eye irritation
Condensation produ	ucts of fatty acids, tall oil with 2-amino-2-ethylpropanedic
Species	Rabbit
Result	: No eye irritation
Assessment	: No eye irritation
	enyl-, reaction products with 2,4,4-trimethylpentene:
Benzenamine, N-nhe	
-	· Rabbit
Benzenamine, N-phe Species Result	: Rabbit : No eye irritation





Version	Revision Date:	Date of last issue: 2021-02-22	
2.7	2021-08-25	Date of first issue: 2014-06-18	Print Date: 2021-08-25

Respiratory or skin sensitis	ation
<u>Product:</u> Remarks	: This information is not available.
Components:	
lithium 12-hydroxystearate:	
Exposure routes	: Dermal
Species Method	: Mouse : OECD Test Guideline 429
Result	: negative
dilithium azelate:	
Assessment	: Does not cause skin sensitisation.
Result	: Does not cause skin sensitisation.
Condensation products of f	atty acids, tall oil with 2-amino-2-ethylpropanediol:
Assessment	: May cause sensitisation by skin contact.
Result	: May cause sensitisation by skin contact.
	action products with 2,4,4-trimethylpentene:
Species Assessment	: Guinea pig : Does not cause skin sensitisation.
Method	: OECD Test Guideline 406
Result	: Does not cause skin sensitisation.
Chronic toxicity	
Germ cell mutagenicity	
Product:	
Genotoxicity in vitro	: Remarks: No data available
Genotoxicity in vivo	: Remarks: No data available
Components:	
Condensation products of f	atty acids, tall oil with 2-amino-2-ethylpropanediol:
Genotoxicity in vitro	: Remarks: In vitro tests did not show mutagenic effects
Carcinogenicity	
Product:	
Remarks	: No data available





rsion	Revision Date: 2021-08-25	Date of last issue: 2021-02-22 Date of first issue: 2014-06-18 Print Date: 2021-08-25
Repi	roductive toxicity	,
Prod	luct:	
Effec	cts on fertility	: Remarks: No data available
Effect ment	cts on foetal develo t	op- : Remarks: No data available
Com	ponents:	
Con	densation produc	cts of fatty acids, tall oil with 2-amino-2-ethylpropanediol:
	oductive toxicity -	As- : - Fertility -
sess	ment	Animal testing did not show any effects on fertility.
STO	T - single exposu	ire
Com	ponents:	
dilith	nium azelate:	
Asse	essment	: The substance or mixture is not classified as specific targ organ toxicant, single exposure.
STO	T - repeated expo	osure
Com	ponents:	
dilith	nium azelate:	
Asse	essment	: The substance or mixture is not classified as specific targ organ toxicant, repeated exposure.
Repe	eated dose toxici	ty
Prod	luct:	
Rem	arks	: This information is not available.
Aspi	ration toxicity	
Proc	luct:	
This	information is not	available.
<u>Com</u>	ponents:	
dilith	nium azelate:	
	spiration toxicity c	laccification





## **SYNTHESO GLEP 1**

Version	Revision Date:	Date of last issue: 2021-02-22	
2.7	2021-08-25	Date of first issue: 2014-06-18	Print Date: 2021-08-25

:

#### **Further information**

#### Product:

Remarks

Information given is based on data on the components and the toxicology of similar products.

#### **12. ECOLOGICAL INFORMATION**

Ecotoxicity		
<u>Product:</u> Toxicity to fish	:	
		Remarks: No data available
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available
Toxicity to algae	:	Remarks: No data available
Toxicity to microorganisms	:	Remarks: No data available
Components:		
lithium 12-hydroxystearate:		
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l Exposure time: 96 h Test Type: semi-static test Method: OECD Test Guideline 203 GLP: yes
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h
Toxicity to algae	:	EC50 (Pseudokirchneriella subcapitata (green algae)): > 160 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
		NOEC (Pseudokirchneriella subcapitata (green algae)): 160 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
dilithium azelate:		
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l Exposure time: 96 h





## **SYNTHESO GLEP 1**

sion	Revision Date: 2021-08-25	ate of last issue: 2021-02-22 ate of first issue: 2014-06-18 Print Date: 2021-08-25
	tity to daphnia and tic invertebrates	her : EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h
Benz	enamine, N-pher	-, reaction products with 2,4,4-trimethylpentene:
Toxic	ity to fish	<ul> <li>LC50 (Danio rerio (zebra fish)): &gt; 100 mg/l Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 203</li> </ul>
	tity to daphnia and tic invertebrates	her : EC50 (Daphnia magna (Water flea)): 51 mg/l Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202 GLP: yes
Toxic	ity to algae	<ul> <li>EC50 (Desmodesmus subspicatus (green algae)): &gt; 100 Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201</li> </ul>
Toxic	ity to microorganis	s : EC50 (activated sludge): > 100 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209
Ecot	oxicology Asses	ent
Chro	nic aquatic toxicity	: This product has no known ecotoxicological effects.
Pers	istence and degra	ability
Prod	uct:	
Biode	egradability	: Remarks: No data available
Phys ity	ico-chemical remo	bil- : Remarks: No data available
<u>Com</u>	ponents:	
lithiu	ım 12-hydroxyste	ate:
Biode	egradability	<ul> <li>Primary biodegradation Inoculum: activated sludge Result: rapidly biodegradable Biodegradation: 74.7 % Exposure time: 28 d Method: OECD Test Guideline 301C</li> </ul>

Condensation products of fatty acids, tall oil with 2-amino-2-ethylpropanediol:





Biodegradability       :       Result: Not rapidly biodegradable         Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:         Biodegradability       :       aerobic Inoculum: activated sludge Result: Not rapidly biodegradable Biodegradation: 1 % Exposure time: 28 d Method: OECD Test Guideline 301B GLP: yes         Bioaccumulative potential       Product:         Bioaccumulation       :       Remarks: This mixture contains no substance be persistent, bioaccumulating and toxic (PBT) This mixture contains no substance considered persistent and very bioaccumulating (vPvB).         Components:       ithium 12-hydroxystearate:         Partition coefficient: n- octanol/water       :       log Pow: 2.6 octanol/water         Bioaccumulation       :       Bioconcentration factor (BCF): 3.0         Partition coefficient: n- octanol/water       :       log Pow: -3.56 octanol/water         Condensation products of fatty acids, tall oil with 2-amino-2-ethylpropanedi Bioaccumulation       :       Bioconcentration factor (BCF): <100	
Biodegradability       : aerobic Inoculum: activated sludge Result: Not rapidly biodegradable Biodegradation: 1 % Exposure time: 28 d Method: OECD Test Guideline 301B GLP: yes         Bioaccumulative potential       Product: Bioaccumulation       : Remarks: This mixture contains no substance be persistent, bioaccumulating and toxic (PBT) This mixture contains no substance considered persistent and very bioaccumulating (vPvB).         Components:       Iithium 12-hydroxystearate: Partition coefficient: n- octanol/water         Bioaccumulation       : log Pow: 2.6 Octanol/water         dilithium azelate: Bioaccumulation       : log Pow: 2.6 Octanol/water         dilithium azelate: Bioaccumulation       : Bioconcentration factor (BCF): 3.0         Partition coefficient: n- octanol/water       : log Pow: -3.56         Condensation products of fatty acids, tall oil with 2-amino-2-ethylpropaned	
Biodegradability       : aerobic Inoculum: activated sludge Result: Not rapidly biodegradable Biodegradation: 1 % Exposure time: 28 d Method: OECD Test Guideline 301B GLP: yes         Bioaccumulative potential       Product: Bioaccumulation       : Remarks: This mixture contains no substance be persistent, bioaccumulating and toxic (PBT) This mixture contains no substance considered persistent and very bioaccumulating (vPvB).         Components:       Iithium 12-hydroxystearate: Partition coefficient: n- octanol/water         Bioaccumulation       : log Pow: 2.6 Octanol/water         dilithium azelate: Bioaccumulation       : bioconcentration factor (BCF): 3.0         Partition coefficient: n- octanol/water       : log Pow: -3.56 Octanol/water         Condensation products of fatty acids, tall oil with 2-amino-2-ethylpropaned	
Product:       Bioaccumulation       : Remarks: This mixture contains no substance be persistent, bioaccumulating and toxic (PBT) This mixture contains no substance considered persistent and very bioaccumulating (vPvB).         Components:       Ithium 12-hydroxystearate:         Partition coefficient: n- octanol/water       : log Pow: 2.6         dilithium azelate:       Bioaccumulation         Bioaccumulation       : Bioconcentration factor (BCF): 3.0         Partition coefficient: n- octanol/water       : log Pow: -3.56         Condensation products of fatty acids, tall oil with 2-amino-2-ethylpropaned	
Bioaccumulation       : Remarks: This mixture contains no substance be persistent, bioaccumulating and toxic (PBT) This mixture contains no substance considered persistent and very bioaccumulating (vPvB).         Components:       Iithium 12-hydroxystearate:         Partition coefficient: n- octanol/water       : log Pow: 2.6         dilithium azelate:       Bioaccumulation         Bioaccumulation       : Bioconcentration factor (BCF): 3.0         Partition coefficient: n- octanol/water       : log Pow: -3.56         Condensation products of fatty acids, tall oil with 2-amino-2-ethylpropanedic	
be persistent, bioaccumulating and toxic (PBT)         This mixture contains no substance considered persistent and very bioaccumulating (vPvB).         Components:         lithium 12-hydroxystearate:         Partition coefficient: n-       :         octanol/water         dilithium azelate:         Bioaccumulation       :         Bioaccumulation       :         Partition coefficient: n-       :         log Pow: -3.56         Condensation products of fatty acids, tall oil with 2-amino-2-ethylpropanedia	
lithium 12-hydroxystearate:         Partition coefficient: n- octanol/water       :       log Pow: 2.6         dilithium azelate:         Bioaccumulation       :       Bioconcentration factor (BCF): 3.0         Partition coefficient: n- octanol/water       :       log Pow: -3.56         Condensation products of fatty acids, tall oil with 2-amino-2-ethylpropanedia	
Partition coefficient: n- octanol/water       :       log Pow: 2.6         dilithium azelate: Bioaccumulation       :       Bioconcentration factor (BCF): 3.0         Partition coefficient: n- octanol/water       :       log Pow: -3.56         Condensation products of fatty acids, tall oil with 2-amino-2-ethylpropanedia	
octanol/water       dilithium azelate:         Bioaccumulation       :       Bioconcentration factor (BCF): 3.0         Partition coefficient: n- octanol/water       :       log Pow: -3.56         Condensation products of fatty acids, tall oil with 2-amino-2-ethylpropanedia	
Bioaccumulation       :       Bioconcentration factor (BCF): 3.0         Partition coefficient: n-       :       log Pow: -3.56         octanol/water       Condensation products of fatty acids, tall oil with 2-amino-2-ethylpropanedia	
Partition coefficient: n- : log Pow: -3.56 octanol/water Condensation products of fatty acids, tall oil with 2-amino-2-ethylpropaned	
octanol/water Condensation products of fatty acids, tall oil with 2-amino-2-ethylpropaned	
	ol:
Partition coefficient: n- : log Pow: 9.01 octanol/water	
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:	
Bioaccumulation : Bioconcentration factor (BCF): 1,730	
Partition coefficient: n- octanol/water : log Pow: 6.66 (23 °C) pH: 6.67 Method: OECD Test Guideline 123 GLP: yes	





Version	Revision Date:	Date of last issue: 2021-02-22	
2.7	2021-08-25	Date of first issue: 2014-06-18	Print Date: 2021-08-25

#### Mobility in soil

mation

Product:		
Mobility	:	Remarks: No data available
Distribution among environ- mental compartments	:	Remarks: No data available
Other adverse effects		
Product: Additional ecological infor-	:	No information on ecology is available.

#### **13. DISPOSAL CONSIDERATIONS**

Disposal methods		
Waste from residues	:	The product should not be allowed to enter drains, water courses or the soil. Do not dispose of with domestic refuse. Dispose of as hazardous waste in compliance with local and national regulations.
Contaminated packaging	:	Packaging that is not properly emptied must be disposed of as the unused product. Dispose of waste product or used containers according to local regulations.

## **14. TRANSPORT INFORMATION**

#### **International Regulations**

**UNRTDG** Not regulated as a dangerous good

IATA-DGR Not regulated as a dangerous good

IMDG-Code Not regulated as a dangerous good

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

Not applicable





Version	Revision Date:	Date of last issue: 2021-02-22	
2.7	2021-08-25	Date of first issue: 2014-06-18	Print Date: 2021-08-25

#### **15. REGULATORY INFORMATION**

#### National regulatory information

Regulations on Occupational Safety and Health Facilities Standards for the Storage, Cleanup, Handling and Disposal of Industrial Waste Regulations on Labelling and Hazard Communication of Hazardous Chemicals

#### **16. OTHER INFORMATION**

Responsible Department Prepared by	:	Klüber Lubrication München Geisenhausenerstr. 7 81379 München Deutschland Tel: +49 (0) 89 7876 0 Fax: +49 (0) 89 7876 333 info@klueber.com mcm@klueber.com Material Compliance Management
Revision Date	:	Material Compliance Management 2021-08-25
Date format	: ns	yyyy/mm/dd
ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA	:	8-hour, time-weighted average	

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Con-





Version	Revision Date:	Date of last issue: 2021-02-22	
2.7	2021-08-25	Date of first issue: 2014-06-18	Print Date: 2021-08-25

centration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.

