

Klüberplex BE 31-222

Version	Revision Date:	Date of last issue: 2019-11-22	Print Date:
1.7	2020-07-06	Date of first issue: 2014-11-10	2020-07-06

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Klüberplex BE 31-222

Article-No. : 017132

Other names : None

Recommended use of the chemical and restrictions on use

Recommended use : Grease

Restrictions on use : Restricted to professional users.

Manufacturer or supplier's details

Company : Klüber Lubrication München
Geisenhausenerstr. 7
81379 München
Deutschland
Tel: +49 (0) 89 7876 0
Fax: +49 (0) 89 7876 333
info@klueber.com

E-mail address of person responsible for the SDS : mcm@klueber.com
Material Compliance Management

National contact : Klüber Lubrication China Limited
Room 1012 Shatin Galleria
18-24 Shan Mei Street, Fotan, Shatin, N.T.
Hong Kong
China
Phone: +852 26920191
Email: info@cn.klueber.com
www.klueber.com.cn

Emergency telephone number : +886 2 8793 3212

+49 89 7876 700 (24 hours)

2. HAZARDS IDENTIFICATION

GHS Classification

Not a hazardous substance or mixture.

Klüberplex BE 31-222

Version	Revision Date:	Date of last issue: 2019-11-22	Print Date:
1.7	2020-07-06	Date of first issue: 2014-11-10	2020-07-06

GHS label elements

Not a hazardous substance or mixture.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Chemical nature : Mineral oil.
special calcium soap

Hazardous components

Chemical Name	CAS-No.	Concentration (% w/w)
Distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7	>= 50 - < 70
Reaction mixture of hydrogenated tallow alkyl amines with sebacic acid and calcium hydroxide	1282612-32-1	>= 20 - < 30
2,5-bis(tert-dodecyldithio)-1,3,4-thiadiazole	59656-20-1	>= 1 - < 2.5
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	68411-46-1	>= 1 - < 2.5

4. FIRST AID MEASURES

First aid measures for different exposure routes

If inhaled : Remove person to fresh air. If signs/symptoms continue, get medical attention.
Keep patient warm and at rest.
If breathing is irregular or stopped, administer artificial respiration.

In case of skin contact : Remove contaminated clothing. If irritation develops, get medical attention.
Wash off with soap and water.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes.
If eye irritation persists, consult a specialist.

If swallowed : Move the victim to fresh air.
Do not induce vomiting without medical advice.

Most important symptoms and effects, both acute and : No information available.
None known.

Klüberplex BE 31-222

Version 1.7	Revision Date: 2020-07-06	Date of last issue: 2019-11-22 Date of first issue: 2014-11-10	Print Date: 2020-07-06
----------------	------------------------------	---	---------------------------

delayed

Notes to physician : No information available.

5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire-fighting : Fire may cause evolution of:
Carbon oxides
Metal oxides
Nitrogen oxides (NOx)
Sulphur oxides
- Specific extinguishing methods : Standard procedure for chemical fires.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to decomposition products may be a hazard to health.

6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Evacuate personnel to safe areas.
Use the indicated respiratory protection if the occupational exposure limit is exceeded and/or in case of product release (dust).
Do not breathe vapours, aerosols.
Refer to protective measures listed in sections 7 and 8.
- Environmental precautions : Try to prevent the material from entering drains or water courses.
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Clean up promptly by sweeping or vacuum.
Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Handling

- Advice on safe handling : For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the ap-

Klüberplex BE 31-222

Version 1.7	Revision Date: 2020-07-06	Date of last issue: 2019-11-22 Date of first issue: 2014-11-10	Print Date: 2020-07-06
----------------	------------------------------	---	---------------------------

plication area.
Wash hands and face before breaks and immediately after handling the product.

Storage

Conditions for safe storage : Store in original container.
Keep container closed when not in use.
Keep in a dry, cool and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Store in accordance with the particular national regulations.
Keep in properly labelled containers.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7	TWA (Mist)	5 mg/m ³	TW OEL
		STEL (Mist)	10 mg/m ³	TW OEL
		TWA (Inhalable particulate matter)	5 mg/m ³	ACGIH

Engineering measures : none

Personal protective equipment

Respiratory protection : Not required; except in case of aerosol formation.

Filter type : Filter type P

Hand protection

Material : Nitrile rubber

Break through time : > 10 min

Protective index : Class 1

Remarks : For prolonged or repeated contact use protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case.

Eye protection : Tightly fitting safety goggles

Protective measures : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance

Klüberplex BE 31-222

Version 1.7	Revision Date: 2020-07-06	Date of last issue: 2019-11-22 Date of first issue: 2014-11-10	Print Date: 2020-07-06
----------------	------------------------------	---	---------------------------

at the specific workplace.
Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

Hygiene measures : Wash face, hands and any exposed skin thoroughly after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: paste
Colour	: beige
Odour	: characteristic
Odour Threshold	: No data available
pH	: No data available
Melting point/range	: No data available
Boiling point/boiling range	: No data available
Flash point	: Not applicable
Evaporation rate	: No data available
Flammability (solid, gas)	: Combustible Solids
Self-ignition	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapour pressure	: < 0.01 hPa (20 °C)
Relative vapour density	: No data available
Density	: 0.96 g/cm ³ (20 °C)
Bulk density	: No data available
Solubility(ies) Water solubility	: insoluble

Klüberplex BE 31-222

Version 1.7	Revision Date: 2020-07-06	Date of last issue: 2019-11-22 Date of first issue: 2014-11-10	Print Date: 2020-07-06
----------------	------------------------------	---	---------------------------

Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

 Viscosity, dynamic : No data available

 Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : No data available

Sublimation point : No data available

10. STABILITY AND REACTIVITY

Reactivity : No hazards to be specially mentioned.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : No dangerous reaction known under conditions of normal use.

Conditions to avoid : No conditions to be specially mentioned.

Incompatible materials : No materials to be especially mentioned.

Hazardous decomposition products : No decomposition if stored and applied as directed.

11. TOXICOLOGICAL INFORMATION

Symptoms of Overexposure : No information available.

Acute toxicity

Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg
Method: Calculation method

Acute inhalation toxicity : Remarks: This information is not available.

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg
Method: Calculation method

Klüberplex BE 31-222

Version 1.7	Revision Date: 2020-07-06	Date of last issue: 2019-11-22 Date of first issue: 2014-11-10	Print Date: 2020-07-06
----------------	------------------------------	---	---------------------------

Components:**Distillates (petroleum), hydrotreated heavy paraffinic:**

- Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 401
GLP: yes
- Acute inhalation toxicity : LC50 (Rat): > 5.53 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Assessment: The substance or mixture has no acute inhalation toxicity
- Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg
Method: OECD Test Guideline 402

Reaction mixture of hydrogenated tallow alkyl amines with sebacic acid and calcium hydroxide:

- Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
Method: Directive 67/548/EEC, Annex V, B.1.
GLP: yes
- Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 402
GLP: yes

2,5-bis(tert-dodecyldithio)-1,3,4-thiadiazole:

- Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 401
- Acute inhalation toxicity : LC50 (Rat): > 2.75 mg/l
Exposure time: 4 h
Test atmosphere: vapour
Method: OECD Test Guideline 403
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: An LC50/inhalation/4h/rat could not be determined because no mortality of rats was observed at the maximum achievable concentration.
Information given is based on data obtained from similar substances.
- Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: Information given is based on data obtained from

Klüberplex BE 31-222

Version 1.7	Revision Date: 2020-07-06	Date of last issue: 2019-11-22 Date of first issue: 2014-11-10	Print Date: 2020-07-06
----------------	------------------------------	---	---------------------------

similar substances.

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Product:

Remarks : This information is not available.

Components:

Distillates (petroleum), hydrotreated heavy paraffinic:

Species : Rabbit
Assessment : No skin irritation
Method : OECD Test Guideline 404
Result : No skin irritation
GLP : yes

Reaction mixture of hydrogenated tallow alkyl amines with sebacic acid and calcium hydroxide:

Species : Rabbit
Assessment : No skin irritation
Method : OECD Test Guideline 404
Result : No skin irritation
GLP : yes

2,5-bis(tert-dodecyldithio)-1,3,4-thiadiazole:

Species : Rabbit
Assessment : No skin irritation
Method : OECD Test Guideline 404
Result : No skin irritation

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Species : Rabbit
Assessment : No skin irritation
Result : No skin irritation

Klüberplex BE 31-222

Version	Revision Date:	Date of last issue: 2019-11-22	Print Date:
1.7	2020-07-06	Date of first issue: 2014-11-10	2020-07-06

Serious eye damage/eye irritation

Product:

Remarks : This information is not available.

Components:

Distillates (petroleum), hydrotreated heavy paraffinic:

Species : Rabbit
Result : No eye irritation
Assessment : No eye irritation
Method : OECD Test Guideline 405
GLP : yes

Reaction mixture of hydrogenated tallow alkyl amines with sebacic acid and calcium hydroxide:

Species : Rabbit
Result : No eye irritation
Assessment : No eye irritation
Method : OECD Test Guideline 405
GLP : yes

2,5-bis(tert-dodecyldithio)-1,3,4-thiadiazole:

Species : Rabbit
Result : No eye irritation
Assessment : No eye irritation
Method : OECD Test Guideline 405

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Species : Rabbit
Result : No eye irritation
Assessment : No eye irritation

Respiratory or skin sensitisation

Product:

Remarks : This information is not available.

Components:

Distillates (petroleum), hydrotreated heavy paraffinic:

Species : Guinea pig
Assessment : Does not cause skin sensitisation.
Method : OECD Test Guideline 406
Result : Does not cause skin sensitisation.
GLP : yes

Klüberplex BE 31-222

Version	Revision Date:	Date of last issue: 2019-11-22	Print Date:
1.7	2020-07-06	Date of first issue: 2014-11-10	2020-07-06

Reaction mixture of hydrogenated tallow alkyl amines with sebacic acid and calcium hydroxide:

Test Type	: Maximisation Test
Species	: Guinea pig
Assessment	: Does not cause skin sensitisation.
Method	: OECD Test Guideline 406
Result	: Does not cause skin sensitisation.
GLP	: yes

2,5-bis(tert-dodecyldithio)-1,3,4-thiadiazole:

Test Type	: Buehler Test
Species	: Guinea pig
Assessment	: Did not cause sensitisation on laboratory animals.
Method	: OECD Test Guideline 406
Result	: Did not cause sensitisation on laboratory animals.

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Species	: Guinea pig
Assessment	: Does not cause skin sensitisation.
Method	: OECD Test Guideline 406
Result	: Does not cause skin sensitisation.

Chronic toxicity**Germ cell mutagenicity****Product:**

Genotoxicity in vitro	: Remarks: No data available
Genotoxicity in vivo	: Remarks: No data available

Components:**Reaction mixture of hydrogenated tallow alkyl amines with sebacic acid and calcium hydroxide:**

Genotoxicity in vitro	: Test Type: Ames test Method: Mutagenicity (Escherichia coli - reverse mutation assay) Result: negative GLP: yes
-----------------------	--

2,5-bis(tert-dodecyldithio)-1,3,4-thiadiazole:

Genotoxicity in vitro	: Test Type: In vitro mammalian cell gene mutation test Test system: Chinese hamster fibroblasts Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 473 Result: negative
-----------------------	---

Klüberplex BE 31-222

Version 1.7	Revision Date: 2020-07-06	Date of last issue: 2019-11-22 Date of first issue: 2014-11-10	Print Date: 2020-07-06
----------------	------------------------------	---	---------------------------

Remarks: Information given is based on data obtained from similar substances.

Germ cell mutagenicity - Assessment : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

Carcinogenicity

Product:

Remarks : No data available

Components:

Distillates (petroleum), hydrotreated heavy paraffinic:

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

2,5-bis(tert-dodecyldithio)-1,3,4-thiadiazole:

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

Reproductive toxicity

Product:

Effects on fertility : Remarks: No data available

Effects on foetal development : Remarks: No data available

Components:

Distillates (petroleum), hydrotreated heavy paraffinic:

Reproductive toxicity - Assessment : No toxicity to reproduction

2,5-bis(tert-dodecyldithio)-1,3,4-thiadiazole:

Effects on fertility : Species: Rat
Application Route: Oral
General Toxicity - Parent: NOAEL: 1,000 mg/kg body weight
General Toxicity F1: NOAEL: 1,000 mg/kg body weight
Method: OECD Test Guideline 421
Remarks: Information given is based on data obtained from similar substances.

Reproductive toxicity - Assessment : No toxicity to reproduction
Animal testing did not show any effects on foetal development.

Klüberplex BE 31-222

Version 1.7	Revision Date: 2020-07-06	Date of last issue: 2019-11-22 Date of first issue: 2014-11-10	Print Date: 2020-07-06
----------------	------------------------------	---	---------------------------

STOT - single exposure

Components:

2,5-bis(tert-dodecyldithio)-1,3,4-thiadiazole:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT - repeated exposure

Components:

2,5-bis(tert-dodecyldithio)-1,3,4-thiadiazole:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Product:

Remarks : This information is not available.

Components:

2,5-bis(tert-dodecyldithio)-1,3,4-thiadiazole:

Species : Rat
NOAEL : 250 mg/kg
Application Route : Oral
Method : OECD Test Guideline 421
Remarks : Information given is based on data obtained from similar substances.

Aspiration toxicity

Product:

This information is not available.

Components:

Distillates (petroleum), hydrotreated heavy paraffinic:

No aspiration toxicity classification

Further information

Product:

Remarks : Information given is based on data on the components and the toxicology of similar products.

Klüberplex BE 31-222

Version 1.7	Revision Date: 2020-07-06	Date of last issue: 2019-11-22 Date of first issue: 2014-11-10	Print Date: 2020-07-06
----------------	------------------------------	---	---------------------------

12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish : Remarks: No data available

Toxicity to daphnia and other aquatic invertebrates : Remarks: No data available

Toxicity to algae : Remarks: No data available

Toxicity to microorganisms : Remarks: No data available

Components:

Distillates (petroleum), hydrotreated heavy paraffinic:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l
Exposure time: 96 h
Test Type: static test
Method: OECD Test Guideline 203
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 10,000 mg/l
Exposure time: 48 h
Test Type: Immobilization
Method: OECD Test Guideline 202
GLP: yes

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 10 mg/l
Exposure time: 21 d
Test Type: semi-static test
Method: OECD Test Guideline 211
GLP: yes

Reaction mixture of hydrogenated tallow alkyl amines with sebacic acid and calcium hydroxide:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 100 mg/l
Exposure time: 96 h
Test Type: static test
Method: OECD Test Guideline 203
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h

Klüberplex BE 31-222

Version	Revision Date:	Date of last issue: 2019-11-22	Print Date:
1.7	2020-07-06	Date of first issue: 2014-11-10	2020-07-06

Test Type: Immobilization
Method: OECD Test Guideline 202
GLP: yes

Toxicity to algae : EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l
Exposure time: 72 h
Test Type: Growth inhibition
Method: OECD Test Guideline 201
GLP: yes

2,5-bis(tert-dodecyldithio)-1,3,4-thiadiazole:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 41 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae : EC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l
Exposure time: 72 h
Test Type: Growth inhibition
Method: OECD Test Guideline 201

Ecotoxicology Assessment

Acute aquatic toxicity : Harmful to aquatic life.

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 100 mg/l
Exposure time: 96 h
Test Type: static test
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 51 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202
GLP: yes

Toxicity to algae : EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition

Klüberplex BE 31-222

Version 1.7	Revision Date: 2020-07-06	Date of last issue: 2019-11-22 Date of first issue: 2014-11-10	Print Date: 2020-07-06
----------------	------------------------------	---	---------------------------

Method: OECD Test Guideline 209

Ecotoxicology Assessment

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

Persistence and degradability

Product:

Biodegradability : Remarks: No data available

Physico-chemical removability : Remarks: No data available

Components:

Distillates (petroleum), hydrotreated heavy paraffinic:

Biodegradability : aerobic
Inoculum: activated sludge
Result: Not rapidly biodegradable
Biodegradation: 3 %
Exposure time: 28 d
Method: OECD Test Guideline 301B
GLP: yes

Reaction mixture of hydrogenated tallow alkyl amines with sebacic acid and calcium hydroxide:

Biodegradability : Primary biodegradation
Inoculum: activated sludge
Result: Not rapidly biodegradable
Biodegradation: 26.1 %
Exposure time: 28 d
Method: OECD Test Guideline 301F
GLP: yes

2,5-bis(tert-dodecyldithio)-1,3,4-thiadiazole:

Biodegradability : Primary biodegradation
Inoculum: activated sludge
Result: Not readily biodegradable.
Biodegradation: 0 %
Exposure time: 28 d
Method: OECD Test Guideline 301C

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Biodegradability : aerobic
Inoculum: activated sludge
Result: Not rapidly biodegradable
Biodegradation: 1 %

Klüberplex BE 31-222

Version 1.7	Revision Date: 2020-07-06	Date of last issue: 2019-11-22 Date of first issue: 2014-11-10	Print Date: 2020-07-06
----------------	------------------------------	---	---------------------------

Exposure time: 28 d
Method: OECD Test Guideline 301B
GLP: yes

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT).
This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

Components:

Distillates (petroleum), hydrotreated heavy paraffinic:

Partition coefficient: n-octanol/water : log Pow: > 2

Reaction mixture of hydrogenated tallow alkyl amines with sebacic acid and calcium hydroxide:

Partition coefficient: n-octanol/water : log Pow: 0.9 - 18

2,5-bis(tert-dodecylthio)-1,3,4-thiadiazole:

Bioaccumulation : Species: Fish
Bioconcentration factor (BCF): 3.16

Partition coefficient: n-octanol/water : log Pow: 8 (20 °C)

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Bioaccumulation : Bioconcentration factor (BCF): 1,730

Partition coefficient: n-octanol/water : log Pow: 6.66 (23 °C)
pH: 6.67
Method: OECD Test Guideline 123
GLP: yes

Mobility in soil

Product:

Mobility : Remarks: No data available

Distribution among environmental compartments : Remarks: No data available

Klüberplex BE 31-222

Version 1.7	Revision Date: 2020-07-06	Date of last issue: 2019-11-22 Date of first issue: 2014-11-10	Print Date: 2020-07-06
----------------	------------------------------	---	---------------------------

Other adverse effects

Product:

Additional ecological information : No information on ecology is available.

Components:

Distillates (petroleum), hydrotreated heavy paraffinic:

Results of PBT and vPvB assessment : Non-classified vPvB substance Non-classified PBT substance

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.

Contaminated packaging : Packaging that is not properly emptied must be disposed of as the unused product.
Dispose of waste product or used containers according to local regulations.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

Not applicable

15. REGULATORY INFORMATION

National regulatory information

Regulations on Occupational Safety and Health Facilities
Standards for the Storage, Cleanup, Handling and Disposal of Industrial Waste
Standards of Permissible Exposure Limits in Workplace

Klüberplex BE 31-222

Version 1.7	Revision Date: 2020-07-06	Date of last issue: 2019-11-22 Date of first issue: 2014-11-10	Print Date: 2020-07-06
----------------	------------------------------	---	---------------------------

16. OTHER INFORMATION

Responsible Department : Klüber Lubrication München
Geisenhausenerstr. 7
81379 München
Deutschland
Tel: +49 (0) 89 7876 0
Fax: +49 (0) 89 7876 333
info@klueber.com

Prepared by : mcm@klueber.com
Material Compliance Management

Revision Date : 2020-07-06

Date format : yyyy/mm/dd

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
TW OEL : Standards of Permissible Exposure Limits in Workplace

ACGIH / TWA : 8-hour, time-weighted average
TW OEL / TWA : 8-hour time weighted average
TW OEL / STEL : time weighted average for short term exposure

AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECl - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect

Klüberplex BE 31-222

Version	Revision Date:	Date of last issue: 2019-11-22	Print Date:
1.7	2020-07-06	Date of first issue: 2014-11-10	2020-07-06

Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.